

Brandt VSM 300 Secondary

Shaker Screen Replacement




Compatible shale shakers

- Drying module screen (2 screens) of Brandt VSM 300 shale shaker.
- Brandt VSM 300 vibrating screens.
- Brandt VSM 300 mud cleaner.



Technical Parameter

- **Model No.:** TP-VSM 300SE
- **Material:** stainless steel 304/316/316 L.
- **Body Material:** Q235 steel/composite.
- **Screen Layered:** pretension, repairable.
- **Screen Angle:** 7° .
- **Standard:** API RP 13C.
- **API RP 13C Designation:** API 40 – API 325.
- **Series:** XR, XL optional.
- **Warranty Period:** 1 year.
- **Working Life:** 400 –450 hours.




Positive Side



Reverse Side

TP-VSM 300SE-A325



Performance Parameter

Screen Designation	Mesh Type	API RP 13C Designation	Conductance Number	D100 Separation (microns)	Layer No.	Non-Blank Area (sq.ft)
TP-VSM 300SE-A325	XR	API 325	0.39	44	2	2.3
TP-VSM 300SE-A270	XR	API 270	0.51	57	2	2.3
TP-VSM 300SE-A230	XR	API 230	0.66	61	2	2.3
TP-VSM 300SE-A200	XR	API 200	1.32	73	2	2.3
TP-VSM 300SE-A170	XR	API 170	0.99	88	2	2.3
TP-VSM 300SE-A140	XR	API 140	1.21	116	2	2.3
TP-VSM 300SE-A120	XR	API 120	1.87	117	2	2.3
TP-VSM 300SE-A100	XR	API 100	2.63	142	2	2.3
TP-VSM 300SE-A80	XR	API 80	3.35	193	2	2.3
TP-VSM 300SE-A70	XR	API 70	3.55	220	2	2.3
TP-VSM 300SE-A60	XR	API 60	4.09	233	2	2.3
TP-VSM 300SE-A50	XR	API 50	4.63	275	2	2.3
TP-VSM 300SE-A40	XR	API 40	6.43	411	2	2.3
TP-VSM 300SE-A35	XR	API 35	14.77	575	2	2.3
TP-VSM 300SE-A20	XR	API 20	21.52	913	2	2.3

* D100: Particles this size and larger will normally be discarded.

* API: Corresponding API sieve equivalent as per API RP 13C.

* Conductance No.: This represents the ease with which a liquid can flow through the screen. Larger values represent higher volume handling.